

## MONTHLY CRIB SAFETY INSPECTION FORM

Use one form for each crib/playpen

A. Crib's brand name \_\_\_\_\_

B. Crib's model number \_\_\_\_\_

\*A & B must be completed for every crib/playpen used or accessible to any child in care. If you do not have the crib brand name or model number, the crib/playpen may not be used.

\*Use reverse side for Annual Certification

\*Complete items 1, 2, 3, 4, 7, 8, 9 and 12 for ALL cribs. In addition, complete items 5 and 6 for full size cribs and items 10 and 11 for non-full size cribs.

Monthly Safety Inspection	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Date of Inspection												
1. No corner posts extend more than 1/16 of an inch												
2. No spaces between side slats exceed 2.375 inches												
3. No mattress supports can be easily dislodged from any point of the crib												
4. No cutout designs are present on end panels												
5. No heights of the rail and end panel are less than 26 inches when measured from the top of the rail or panel in the highest position to the top of the mattress support in its lowest position												
6. No heights of the rail and end panel are less than 9 inches when measured from the top of the rail or panel in its lowest position to the top of the mattress support in its highest position												
7. No screws, bolts, or hardware are loose or not secured, and there is no use of woodscrews in components that are designed to be assembled and disassembled by the crib owner												
8. No sharp edges, points, or rough surfaces are present												
9. No wood surfaces are rough, splintered, split or cracked												
10. There are no tears in mesh of fabric sides in non-full size cribs												
11. No mattress pads in non-full size mesh or fabric cribs exceed one inch												
12. No gaps between the mattress and any sides of the crib are present												

Place a (+) if item meets requirements or (-) if it does not meet requirements for each item (1-12). Upon discovery of any unsafe condition during the safety inspection, immediately remove the crib from use and ensure that the crib is not accessible to children in care. As soon as practicable, but not more than two business days after inspection, remove the crib from the area where child care services are routinely provided and make necessary repairs or destroy the crib. Document the action(s) taken regarding unsafe cribs on the reverse side of this form.

